GHS SAFETY DATA SHEET

Section 1 Identification

Product Code and Name:	500 ACA X-TRA Cut Compound		
Company Name and Address:	3D INTERNATIONAL	20724 Centre Pointe Parkway, Santa Clarita CA 91350	
Business Phone:	888-999-7627		

Emergency Telephone Number: CHEMTREC 1-800-424-9300 (US and Canada) All other locations 01-707-703-527-3887

Section 2 Hazards Identification

Classification of the Substance 1)ACUTE TOXICITY:ORAL Category 4. 2)SKIN CORROSION/IRRITATION Category 2. 3) or Mixture: EYE DAMAGE/IRRITATION Category 2A

GHS label elements:



Signal Word:

Warning

Hazard Statement: 1)H302 Harmful if swallowed. 2) H315 Causes skin irritation. 3)H319 Causes serious eye irritation

Precautionary Statements:

- Prevention : P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves and eye protection
- Response : P301 + P312 IF SWALLOWED: Call a POISON CENTER or a doctor/physician if you feel unwell. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P321 Use Moisturizing cream.

P332 + P313 If skin irritation occurs: Get medical attention. P362 Take off contaminated clothing and wash before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention.

Storage: Keep closed and away from children. Keep away from heat or flame.

Section 3 Composition/Information on ingredients:

Substance/Mixture:	Mixture	
Product Description:	Cut Compound	
Chemical Name:	CAS NUMBER	% IN PRODUCT
Aluminum Oxide (non-fibrous)	1344-28-1	30 to 35
White Mineral Oils	8042-47-5	5 to 8
Distillates (petroleum), hydrotreated li	64742-47-8 s	1 to 3
Petroleum Distillates (VP=0.01mmHg	64742-47-8	8 to 12
Deionized Water	7732-18-5	40 to 45
Oleic Acid- Biodegradable	112-80-1	2 to 3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8

GHS SAFETY DATA SHEET

500

Section 4 First Aid Measures:

Description of necessary					
Eye contact :	Wash eyes immediately with large amounts of water.				
Inhalation:	Move person to fresh air at once. If breathing has stopped, get m	edical attention immediately.			
Skin contact:	Wash contacted areas with mild soap and water.				
Ingestion:	Do not induce vomiting. If person is conscious, give water. Get m	edical attention.			
Most important symptoms	s/effects, acute and delayed				
Potential acute health ef	fects				
Eye contact:	Can cause severe irritation, redness, tearing, and blurred vision.				
Inhalation:	Prolonged exposure can cause headache, nasal and respiratory i	Prolonged exposure can cause headache, nasal and respiratory irritation.			
Skin contact:	Any contact can cause moderate irritation and skin dryness				
Ingestion:	Gastrointestinal irritation, nausea, vomiting, and diarrhea.				
Over-exposure signs/Sy	<u>mptoms</u>				
Eye contact:	Adverse symptoms may include the following:	Irritation			
Inhalation:	Adverse symptoms may include the following:	No significant effect			
Skin contact:	Adverse symptoms may include the following:	Irritation, dryness			
Ingestion:	Adverse symptoms may include the following: Gastrointestinal irritation				
Indication of immediate	medical attention and special treatment needed, if ne	<u>cessary</u>			
Notes to physician:	Treat symptomatically. Contact poison treatment spe been ingested or inhaled	ecialist immediately if large quantities have			
Specific treatments:	No specific treatment				

Protection of first -aiders: No action should be taken involving any personal risk or without suitable training. Wash contaminated clothing throughly with water before removing it.

Section 5 Fire Fighting Measures

Extinguishing Media				
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical		Regular Foam, Waterfog, Carbon Dioxide, or Dry Chemicals		
		None known In a fire or if heated, a pressure increase will occur and the container may burst.		
Special protective actionsfor fire-fighters	If there is a fire, Promptly isolate the scene by removing all persons from the vicinity of incident			
Special protective equipment for fire-fighters	Fire-fighters shoud wear appropriate protective equipment and self-contained breat apparatus (SCBA) with a full face-piece operated in positive pressure mode.			
Hazardous Decomposition: Ox		ides of carbon or traces of hydrocarbons may be formed in small amounts.		
		ear fire area of personnel. Do not enter confined fire area without full bunker ar and positive pressure breathing apparatus.		
Unusual Fire / Explosion Hazar	r ds: No	t Listed		

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

personel:	No action shall be taken involving any personal risk or without suitable training.Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flares in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
responders: Environmental	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in for "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)
•	ials for containment and cleaning up

ontainment and cleaning up

- Small Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal spill: container. Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste disposal contractor.
- Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or Large confined areas.Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage spill: with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof tools and explosion-proof
 - equipment. Dispose via a licensed waste contractor. Contaminated absorbent material may pose the same hazard

Use Gloves, Goggles, Boots and Breathing Mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers.All used and unused product should be disposed of in conformance with local, state, and federal regulations

Section 7 Handling and Storage

Precautions for Put on appropriate protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do safe handling: not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternate made from a compatible material, keep tightly closed when not in use. Store and use away from heat. sparks, open flame or any other ignition source. Do not reuse container. Wash throughly after use. Conditions for safe Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away storage: from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled Store materials tightly closed and away from sunlight, warm confined spaces, heat and open flame. Never weld on or near

containers either empty or full. Secure all chemicals out of the reach of children.

Section 8: Exposure Controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		CAS #	PEL/OSHA	TLV-ACGIH	
Aluminum Oxide (non-fibrous)		1344-28-1	15mg/CubicM	10mg/CubicM	
White Mineral Oils		8042-47-5	5 Mg/Cubic M	5 Mg/Cubic M	
Distillates (petroleum), hydrotreat	ed light	64742-47-8 s	5mg/m3	5mg/m3	
Petroleum Distillates (VP=0.01mm	nHg@20C)-Biodegradable	64742-47-8	5mg/m3	5mg/m3	
Deionized Water		7732-18-5	Not Applicable	Not Applicable	
Oleic Acid- Biodegradable		112-80-1	Not Established	Not Established	
Appropriate engineering controls Individual protection mea	control worker expos	•	•	tilation should be sufficient to	
Hygiene Measures:	Wash hands forearm	s and face throug	ghly after handling	g chemical products	
Eve/face protection:	Wear chemical safety	/ goggles			

Eye/face protection: Wear chemical safety goggles Avoid skin contact. Wear chemical resistant impermeable gloves

Skin protection: Respiratory protection: Use a respirator while buffing and polishing to avoid breathing dust

SAFETY DATA SHEET

Section 9: Physical and chemical properties

Physical state Color:	Cream White	Specific Gravity: 1.1 Vapor Pressure: <1(low volatile)	
Odor:	None	Volatile liquids that will evaporate over time 90%	
pH:	7.5	Vapor Density: >1 Fall in air	
Boiling Point:	>212 'F	Solubility: Dispersible	
Flash point:	>275 'F	Evaporation Rate: Not Determined	

Volatile Organic Compound (VOC) content for Consumer Products Applications Percent by weight: 0%

Section 10. Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients
Chemical stability:	The product is stable
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur
Conditions of instability:	When exposed to high temperatures or sun rays colors may fade and bottles may pan
Conditions to avoid:	Keep closed
Hazardous decomposition products:	Under normal conditions of storage and use, hahardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity	Not classified		
Irritation/corrosion			
Eyes	<u>Skin</u>	Inhalation	Ingestion
Irritation	Irritation, dryness	No significant effect	Gastrointestinal irritation
Sensitazion		There is no data available	
<u>Mutagenecity</u>		There is no data available	
Carcinogenicity		There is no data available	
Reproductive toxicity		There is no data available	
<u>Teratogenecity</u>		There is no data available	
Specific target organ toxicity	<u>(single exposure)</u>	There is no data available	
Specific target organ toxicity	(repeated exposure)	There is no data available	
Aspiration hazard		There is no data available	
Delayed and immediate effects	and also chronic effect	ts from short and long term exposure	
Short term exposure			
Potential immediate effects			
Potential delayed effects Long term exposure	Not available		
Potential immediate effects	s Not available		
Potential delayed effects	Not available		
Potential Chronic health effect			
General	Not known sig	nificant effects or critical hazards	
Carcinogenicity		nificant effects or critical hazards	
Mutagenicity	0	nificant effects or critical hazards	
Teragenicity	0	nificant effects or critical hazards	
Developmental effects		nificant effects or critical hazards	
Fertility effects	NOT KNOWN SIG	nificant effects or critical hazards	

GHS SAFETY DATA SHEET

500 ACA X-TRA Cut Compound

Section 12. Ecological information

Toxicity:	Not available			
Persistance and degradability:	Not available			
Bioacumulative potential	Not available Not available			
Mobility in soil: soil/water partition coefficient (Koc):				
Other adverse effects:	No known significant effects or critical hazards			

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the sewer but processes in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal ligislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This materialand its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containersw unless they have been cleaned throughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	None	None	None
Transport hazard class(es)	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport
Packing group Environmental hazards	Not applicable No	Not applicable No	Not applicable
Special precautions for user	Not available	Not available	Not available
Aditional information			

Special precautions for user Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or

Section 15. Regulatory information

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed
SARA 302/304/311/312 extremely hazardous substances:	Not applicable
SARA 302/304 emergency planning and notification:	Not Applicable
SARA 302/304/311/312 hazardous chemicals:	No products were found

Section 16. Other information

Version	Dec.2017	NFPA Ratings: Health 1
Date of issue	12/19/2017	Flammability 0
		Reactivity 0

Disclaimer of Liability:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The Conditions or methods of handeling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.